

# Predicting Future Locations with Hidden Markov Models

Wesley Mathew, Ruben Raposo and Bruno Martins

Instituto Superior Técnico and INESC-ID  
Technical University of Lisbon

4th International Workshop on Location-Based Social Networks

# Table of contents

- 1 Introduction and Motivation
- 2 Related Work
- 3 The Proposed Location Prediction Method
- 4 Experimental Evaluation
- 5 Conclusions and Future Work

# Introduction and Motivation

## Analysis of human location histories

- Tasks like the prediction of the next location for a mobile user
- Mobile services with proactive context-based functions

## Contributions from this research

- We describe and evaluate a method for predicting human mobility on the basis of Hidden Markov Models
- Experiments with a real-world location history dataset from the GeoLife project

# Related Work

- Most human mobility trajectories show a high degree of temporal and spatial regularity, following simple and reproducible patterns (González et al., 2008).
- Previous methods for the analysis of location histories
  - **State-space models** - Markov models and related techniques
  - **Data mining** - Sequential pattern mining techniques
  - **Template matching** - Similarity search on sequential data
  - **Other methods** - Combinations, probabilistic models, etc.
- Examples of recently proposed methods
  - Asahara et al. (2011) proposed a mixed Markov-chain model
  - Methods competing in the Nokia 2012 Mobile Challenge
  - Work presented at UbiComp 2012

# Overview on the Proposed Method

## Build models from a database of known trajectories

- Pre-process the human trajectory data
  - Each trajectory is a sequence of  $\langle \textit{latitude}, \textit{longitude}, \textit{timestamp} \rangle$
  - Convert latitude and longitude into discrete region codes
- Group trajectories according to the temporal period in which they occurred
  - Three groups: weekdays daytime, weekdays nighttime, weekends
- Train a hidden Markov model for each group
  - Use Baum-Welch for estimating the parameters of the HMMs


## Infer the most probable next-place for a new trajectory

- Pre-process the human trajectory data (i.e., the context)
- Inference over the corresponding HMM to estimate most probable next location
  - Use forward algorithm to compute the probability of possible sequences
  - Return the next place from the sequence with the highest probability

# The Hierarchical Triangular Mesh

## Recursive decomposition of a spherical Earth



- Start with 8 spherical triangles, 4 on each hemisphere
- Recursively sub-divide the triangles
  - Great circle arc segments connecting midpoints of each side
  - With  $k$  steps, the number of regions is  $n = 8 \times 4^k$



Learning of HMMs can be done more efficiently, using categorical distributions over regions instead of distributions over the real values for the geospatial coordinates

# Hidden Markov Models

- Well-known approach for the analysis of sequential data



- Sequences (i.e., the human trajectories) are assumed to be generated by a Markov process with unobserved states
  - Each state has a categorical distribution over possible regions
  - Each state has a probability distribution encoding transitions other states

# Inference with Hidden Markov Models

## Learning the parameters of the model from data

- Given example sequences, find the best state transition and output probabilities
- Equivalent to deriving the maximum likelihood estimate for the parameters
- Local maximum likelihood derived efficiently using the Baum-Welch algorithm

## Inferring the probability of a given sequence

- Requires computing a summation over all possible state sequences
- Problem can be handled efficiently using a dynamic programming procedure known as the the forward algorithm

See the classic tutorial by Lawrence R. Rabiner (1989)



# Experimental Protocol

## Experiments with the GeoLife Dataset

- Data from 178 users collected from 2007-04 to 2011-10 with GPS devices
- Over 90% of trajectories with samples at every 15 seconds or every 10 meters
- Total distance of  $\approx 1.2$  million kilometers and total duration of 48,000+ hours

## Data pre-processing prior to experimentation

- Removed all duplicate consecutive locations from each trajectory
- Kept only the last 25 different locations that were visited
- Used 3465 different trajectories (i.e., one for each of the three clusters)

## Experiments with different configurations of the proposed method

- Varying the number of states in the HMMs between 10, 15 and 20
- Varying the resolution of the triangular mesh between 18 and 22
- Different HMMs according to time period, versus a single HMM

## Results for Different Configurations


	Parameters		Accuracy			Average Distance in Km		
	States	Res.	P@1	P@5	MRR	Correct	Incorrect	Average
Multiple HMMs	10	18	05.89	14.55	0.105	0.0143	197.855	186.189
	15	18	05.56	<b>15.69</b>	0.109	0.0145	197.164	186.201
	20	18	<b>06.02</b>	15.44	<b>0.110</b>	0.0142	198.197	186.262
	10	22	00.12	00.56	0.005	<b>0.0008</b>	193.399	193.157
	15	22	00.17	00.72	0.006	0.0009	<b>186.098</b>	185.776
	20	22	00.14	00.72	0.006	0.0008	186.382	186.113
Single HMM	10	18	07.09	24.79	0.149	0.0125	154.797	143.808
	15	18	<b>13.85</b>	<b>26.40</b>	<b>0.201</b>	0.0118	166.580	<b>143.506</b>
	20	18	09.26	25.59	0.169	0.0129	158.490	143.808
	10	22	00.08	00.20	0.004	<b>0.0008</b>	149.750	149.620
	15	22	00.14	00.89	0.008	0.0010	148.949	148.734
	20	22	00.31	00.75	0.008	0.0010	<b>148.636</b>	148.164

- Best results with a single HMM, 15 states and a geospatial resolution of 18
- Distance errors are generally smaller for smaller values of geospatial resolution
  - Resolution of 18 corresponds to triangles of  $\approx 1280$  squared meters, while resolution of 22 corresponds to triangles of  $\approx 5.002$  squared meters

## Results for Different Temporal Periods

Cluster	Accuracy			Average Distance in Km		
	P@1	P@5	MRR	Correct	Incorrect	Average
Weekday 7AM to 7PM (Morning)	08.16	15.55	0.122	0.0142	195.582	179.609
Weekday 7PM to 7AM (Evening)	04.90	16.47	0.110	0.0150	216.451	205.832
Weekend	04.99	14.31	0.097	0.0133	182.455	173.346

# Distribution of the Distance Errors



# Conclusions

- Described a method for predicting individual's movements on the basis of Hidden Markov Models
  - A well-known approach for the analysis of sequential data
  - Accounting with location characteristics as unobservable parameters
  - Accounting with the effects of each mobile user's previous actions
- Experiments conducted over the real-world location history dataset made available from the GeoLife project
  - Prediction accuracy of about 13.85% with the best performing method
  - Average distance of 143.506 Kilometers
  - Median distance of 4.957 Kilometers

## Future Work

- Improve the training of HMMs through methods such as posterior regularization (Ganchev et al., 2010)
  - Incorporate indirect supervision through constraints
- More sophisticated clustering algorithms
  - Soft-clustering trajectories according to temporal period
  - Gaussian mixture models over the time-stamps
- More sophisticated models for sequential data
  - Higher-order HMMs
  - Non-parametric infinite-HMM model (Beal et al., 2002)

# Thanks for Your Attention

Thanks for your attention...

Questions?

`bruno.g.martins@ist.utl.pt`